

Low Profile Bund - Pallet Size Specification Sheet

4 Drum Bund - Low Profile (DBPG4LP)	
Dimensions	1210mm (L) x 1210mm (w) x 150mm(H)
Capacity	145 Litres
UDL	2,800kg
Material (Bund)	Rota-Moulded Polyethylene
Material (Grate)	High Impact, Injection Moulded Polypropylene
Weight	29kg (with Grate) - 13.5kg (no Grate)



DBPG4LP: Drum bund low profile polyethylene with removable grate - pallet size

Application: Store 20 and 60 litre drums, batteries etc to capture leaks, drips and spills.

- Heavy duty Australian made storage bund for 20L and 60L drums
- Polyethylene construction provides excellent corrosion resistance to oils, fuels and a range of chemicals.
- 145 litre integral spill containment sump.
- Removable polypropylene grated top - allows easy access for cleaning.
- Build your own customised working platform by joining low profile units together (**DBPG2LP, DBPG6LP, DBPG8LP**)
- Dimensions (cm): 122 (l) x 122 (w) x 15 (h).
- Uniformly distributed load: 2800 kg.
- Weight: 29 kg.
- Load tested in Australia by NATA accredited engineers - dynamic compression test certificate available.
- Not recommended for storing 205L litre drums. To meet Australian Standards, sump capacity should be 110% of the volume of the largest drum stored on the bund
- Available upon request: Drum Bund Joiner Strip & Connector for assembly of banded work platform

IMPORTANT! Before starting to create a banded platform:

- The area where the banded area is to be situated must be free from rocks, sticks, small stones, grit or debris. Sweep the area clean prior to assembly
- The area where the banded area is to be situated must be on level ground